

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

**Saves Seed
Speeds Sowing**



THE

Cyclone

TRADE MARK REG.

**POWER
SEED
SOWER**

The Cyclone Power Seed Sower

Fast, Efficient Seed Sowing from Your Tractor

Operates from Power Take-off or from Battery

POWER
TAKE-OFF
MODEL
S-1



INSIDE AGITATOR

The inside rotary agitator on the Model S-1 keeps such seeds as brome grass flowing freely and facilitates even and speedy distribution.

The Cyclone Power Seed Sowers speed sowing and save seed by providing even, economical seeding. Made in two models, power take-off and motor driven, these efficient seeders are equipped with the same double-feed and oscillating agitators as have distinguished the Cyclone Hand Seed Sowers for over 80 years.

MODEL S-1

The Cyclone Power Seed Sower, Model S-1 operates from the tractor power take-off and is connected by a 36 inch flexible shaft. This machine is equipped with an accurate seed gauge with instant feed shut-off which prevents waste of seed and provides a means to start or stop seed instantly. In addition to the double-feed and oscillating agitator, it has an inside rotary agitator, thus enabling it to handle all types of seeds, including brome grass and rye grass. It may also be used for commercial fertilizers. Long life construction throughout. This model is provided with a longer shaft or with a shaft turning in the opposite direction from the standard for those tractors which might require these variations. All models are easily mounted with just three bolts. Hopper capacity is one bushel. Full seeding directions and mounting instructions with each machine. Shipping weight is 36 pounds each.

Genuine Cyclone Seed Sowers


Manufactured Only By

The Cyclone Seeder Company, Inc.

Urbana, Indiana, U. S. A.

MODEL M-1

The Cyclone Power Seed Sower, Model M-1, operates from a 6 volt D. C. Electric motor, direct drive. It is of the same heavy construction as the Model S-1, and has the same double-feed and an oscillating agitator. This machine is equipped with an accurate seed gauge with instant feed shut-off which prevents waste of seed and provides a means to start or stop the seed instantly. It sows all types of smooth seeds such as clover and timothy, and may be used not only on a tractor, but also on other types of vehicles such as Jeeps and trucks that have a 6 volt battery. It is easily mounted with just three bolts. Hopper capacity is one bushel. Shipping weight is 36 pounds each. Full seeding and mounting instructions with each sower.



MOTOR
DRIVEN
MODEL
M-1

MOTOR DRIVEN

The motor driven Cyclone Power Seed Sower, Model M-1 handles all smooth type seeds and may be attached to a tractor, Jeep or other vehicle equipped with a standard 6 volt battery.

Cyclone

TRADE MARK REG.




Products Famous For Over 80 Years

AVERAGE SEEDING WIDTHS FOR CYCLONE POWER SEED SOWERS

SEED	Model S-1	Model M-1
	19 feet	25 feet
Timothy	24 feet	32 feet
Clover	24 feet	32 feet
Alfalfa	24 feet	32 feet
Lespedeza		
"Tenn. 76 and Korean"	21 feet	28 feet
"Kobe"	21 feet	28 feet
"Sericiea"	24 feet	32 feet
Red Top	13 feet	18 feet
Blue Grass	13 feet	18 feet
Orchard Grass	13 feet	18 feet
Flax or Millet.....	24 feet	32 feet
Wheat	33 feet	44 feet
Oats	24 feet	32 feet
Brome Grass	16 feet	_____
Rye Grass	18 feet	_____
Nitrogen Phos- phate	15 feet	_____

Width of spread will vary depending upon your tractor speed, quality of seed used, and wind conditions.

**CYCLONE is known
wherever Seed is Sown**



DISTRIBUTED BY

BINGHAM SEED COMPANY

JACKSONVILLE, FLA.

